

# 11th International Symposium on Plant Bioregulators in Fruit Production

## POSTER

Author	Title	Poster n <sup>o</sup>
Abobaker A.M.S.	Growth of shoots from branches of <i>Calligonium comosum</i> .	2.1
Amiri M.E.	Influence of Ethephon and ABA at Veraison Advanced on Degree of Maturity and Quality of 'Beidaneh Ghermez' Grape.	2.2
Aounallah MK., Sahli A., Mehri H., Ben Salem H., Bettaib T., Jebari A. and Tissaoui T.	Effect of Alar, GA3 Application and Removal Method on Return Bloom and Fruiting of Cactus Pear ( <i>Opuntia ficus-indica</i> (Mill)L.).	2.3
Asín L., Vilardell P., Bonany J. and Alegre S.	Effect of 6-BA, NAA and their Mixtures on Fruit Thinning and Fruit Yield on Conference and Blanquilla Pear Cultivars.	2.4
Aulakh P.S., Kaur N., Monga P.K., Thatai S.K. and Thind S.K.	Prolongation of Harvesting Period of Kinnow with Growth Regulators.	2.5
Aulakh P.S., Kaur N., Thind S.K. and Kumar A.	Studies on the Effect of Growth Regulators for Control of Fruit Drop in Plum cv. Satluj Purple.	2.6

Awaad, M.S., Rashad, A. Azza* and Mohamedin. A.A.M.	<b>Using Of Some Non Traditional Fertilizers On Growth And Yield Of Grapevine Grown On Newly Reclaimed Soil, Egypt.</b>	<b>3.1</b>
Bahrami M.K., Dadpour M.R. and Motallebi Azar A.	<b>Influence hormonal treatment of Thidiazuron in direct shoot proliferation from segments of olive (<i>Olea europaea</i>) in vitro leaf and axillary and terminal buds leaves.</b>	<b>2.7</b>
Basak A., Buczek M.	<b>Results on the Use of 3,5,6-TPA against Preharvest Fruit Drop in ‘Conference’ Pear.</b>	<b>2.8</b>
Basak A., Juraś I.	<b>Efficiency of Fruitlet Thinning in Apple ‘Gala Must’ by Use of Metamitron and Artificial Shading.</b>	<b>2.9</b>
Begheldo M., Ziliotto F., Rasori A., Bonghi. C., Ramina A., Tonutti P.	<b>Transcriptome Analysis Reveals New Insight on the Role of Ethylene During Ripening of Peach Fruit.</b>	<b>1.1</b>
Belleggia A., Murri G., Neri D.	<b>Crop Load Control of “Fuji” Apple in Central Italy.</b>	<b>2.10</b>
Botton A., Eccher G., Ruperti B., Boschetti A.	<b>A Time-Course Model for BA Action in Apple Fruitlet Thinning.</b>	<b>2.11</b>
Bound S.A. and Klein J.D.	<b>Successful Thinning of Apples with an Organosilicone Surfactant.</b>	<b>2.12</b>
Bressan-Smith R., Borges Baldotto L.E., Baldotto M.E., Pasqualoto Canellas L., Lopes Olivares F.	<b>Growth Promotion of Pineapple “Vitória” during Acclimatisation to ex vitro Conditions by the Combined Use of Humic Acids and <i>Burkholderia</i> spp.</b>	<b>2.13</b>

Brighenti A.F., Rufato L., Kretzschmar A.A., Formolo R., Würz D.A., Nunes E.C.	<b>Increasing Fruit Set of Red Bartlett Pears in Southern Brazil.</b>	2.14
Chabchoub M.A., Aounallah M.K., Sahli A.	<b>Effect of Hydrogen Cyanamide (Dormex) on Bud Break and Flowering of two Pears Cultivars (<i>Pyrus Communis</i>) under Tunisian Condition.</b>	2.15
Chao T.C., Lovatt C.J.	<b>Foliar-applied 3,5,6-Trichloro-2-pyridyloxyacetic Acid (3,5,6-TPA) Increases Yield of Commercially Valuable Large-size Fruit of 'Fina Sodea' Clementine Mandarin.</b>	2.16
Childerhouse E. and Woolley D.J.	<b>Timing of Application and Growth Regulator Interaction Effects on Fruit Growth of two specie of <i>Actinidia</i>.</b>	1.2
Chitu V., Chitu E., Ionita A., Pirlea M., Marin F. C. and Filipescu L.	<b>Studies of Foliary Applied Clay Effects on Apple Fruit Quality.</b>	2.17
Continella A., Ferlito F., Germanà C., Tribulato E., La Malfa S.	<b>Plant Growth Regulators to Enhance Citrus Fruit Quality: Research and Perspectives in Sicily .</b>	2.18
D'Angeli S., Gazza L., Pogna N. and Altamura M.M.	<b>Perception of Cold Acclimation in the Olive Seed.</b>	2.19
Delgado-Martinez F.J., Paredes M.A., Parra-Lobato M.C and Gómez-Jiménez M.C	<b>Molecular Cloning and Expression Analysis during Olive Fruit Development of S-Adenosylmethionine Decarboxylase.</b>	1.3

Deyton D.E., Sams C.E. and Cummins J.C.	<b>Effect of Absciscic Acid and Soybean Oil on Delay of Peach Flowering.</b>	<b>2.20</b>
Deyton D.E., Sams C.E. and Cummins J.C.	<b>Effect of Soybean Oil and Comparison of Absciscic Acid Analogs on Early Season Grape Growth.</b>	<b>2.21</b>
Donetti M. and Terry L.A.	<b>Role of Mannoheptulose in Mediating Ripening of Avocado Fruit from Different Origins.</b>	<b>1.4</b>
Elsabagh A.S.	<b>Influence of Potassium Nitrate, Gibberellin and Benzyl Adenin on Bud Break, Fruit Set and Branch Induction of Almond (<i>Prunus Amygdalus</i>) Trees.</b>	<b>2.22</b>
El-sabagh A.S., Barakat M.N., Etman A-F.A. and Genaidy E.A-E	<b>In Vitro Propagation of Canino Apricot Cultivar.</b>	<b>2.23</b>
Elsabagh A.S.	<b>Effect of Girdling, Scoring and Ethephon on Fruit Quality of Grapes (<i>Vitis Vinifera</i>) Cv. Zewetina.</b>	<b>2.24</b>
Eshghi S., Kavosi B., Hosseini Farehi M.	<b>Seedlessness Berry Production in Grapevine(<i>Vitis vinifera</i>. L) cv. <i>Rotabi Siah</i> Using Streptomycine and CuSo4 and their Effects on Grapes Characterestics.</b>	<b>2.25</b>
Falchi R., De Marco F., Zanon L. and Vizzotto G.	<b>Expression Analysis of ABA Biosynthetic Pathway Genes in Mesocarp and Seed of Peach Fruit during Development.</b>	<b>1.5</b>

Fichet T., Droguett A. and Orellana M.	<b>GA Dosage and Time of Application on Berry Size of Red Globe Table Grapes.</b>	<b>2. 26</b>
Formolo R., Rufato L., Kretschmar A.A., Marcon Filho J.L., Brighenti A.F.	<b>Gibberellic Acid and Cluster Thinning on Seedless Grape CV. BRS Clara in Caxias do Sul, Rio Grande do Sul State, Brazil.</b>	<b>2.27</b>
Francois P., Rademacher W.	<b>Reduced Incidence of Psylla Pyri in Pear Trees Treated with Prohexadione-Ca.</b>	<b>3.2</b>
Franco-Mora O., Pérez-Huerta O., Morales-Rosales E.J., Pérez-López D.J., Balbuena-Melgarejo A.	<b>Application of Calcium Sprays during Fruit Growing of ‘Oro Azteca’ Peach in Huixcolotla, Puebla, Mexico.</b>	<b>2.28</b>
Galla G., Barcaccia G., Botton A., Ruperti B., Baldoni L., Tonutti P.	<b>Hormonal Regulation of Olive Fruit Development.</b>	<b>1.6</b>
Ghiani A., Baldin F., Morgutti S., Negrini N., Nocito F.F., Mignani I., Spinardi A., Bassi D. and Cocucci M.	<b>Changes in the Expression of Genes Involved in Ethylene Signalling in Peach Fruits with Different Flesh Texture and Softening Patterns.</b>	<b>1.7</b>
Ghorbani Marghashi M., Sarikhani H. and Sasani-Homa R.	<b>Effect of pre- and postharvest salicylic acid treatment on storage life of grape (<i>Vitis vinifera</i> L.) cv. Bidaneh Sefid.</b>	<b>2.29</b>
Giannousis K., Vasilakakis M., Manganaris G.A.	<b>Effect of 1-Methylcyclopropene on Storage Performance of ‘Granny Smith’ Apples Harvested at two Commercial Ripening Stages.</b>	<b>2.30</b>

Giardina G., Reeb P., Dussi M.C., Gastiazoro J., Zon K., Nichols J., Pugh B., Nyeki J., Szabó Z. and Racsko J.	<b>Benzyladenine (BA) Effects on Fruit Quality of ‘Sweet Heart’ and ‘Lapins’ Sweet Cherries.</b>	<b>2.31</b>
Gimenez G., Dussi M.C., Reeb P., Zon K., Nyeki J., Szabó Z. and Racsko J.	<b>Fruit Growth and Abscission Pattern of ‘Williams’ Pear Treated with Benzyladenine.</b>	<b>2.32</b>
Glozer K.	<b>Growth Inhibition in French Prune by Prohexadione Calcium.</b>	<b>2.33</b>
Glozer K., Grant J.	<b>Glycine Betaine-Improved Firmness and Fruit Removal Force in Sweet Cherry.</b>	<b>3.3</b>
Glozer K., Grant J. and Coates W.W.	<b>Chemical Defoliation Effects on Bloom Development in California Sweet Cherry.</b>	<b>2.34</b>
Glozer K., Ingels C.	<b>Bloom and Crop Management in ‘Bartlett’ Pear by Dormant Oil Application Timing.</b>	<b>2.35</b>
Glozer K., Ingels C.	<b>Urea-induced Defoliation of ‘Bartlett’ Pear for Bloom Management, Improved Fruit Size and Reduced Secondary Bloom.</b>	<b>2.36</b>
Gonzalez R. González M.R., Uzquiza L. and Martín P.	<b>Improving the Colour of Tempranillo Grapes by Spraying Ethanol at Veraison and Pre-Harvest.</b>	<b>2.37</b>
Greene W., Lakso A.N. and Cheng L.	<b>Influence of Shading, Time of Shading and Initial Crop Load on Fruit Set of Pioneer McIntosh Apples.</b>	<b>2.38</b>

Greene D.W. and Groome P.	<b>Effect of Thinner and Time of Shading on Fruit Set of McIntosh Apples.</b>	<b>2.39</b>
Hawerth F.J., Petri J.L. and Leite G.B.	<b>Budbreak Induction in Apple Trees by Erger and Calcium Nitrate Application</b>	<b>2.40</b>
Imanishi S., Noguchi A., Suzuki T., Nagata M., Matsuo S. and Honda I.	<b>Analysis of Expression Levels of Bioregulators-related Genes in Tomato Fruit Production Mutant with Tomato "Whole Gene" Microarray.</b>	<b>1.8</b>
Inglese P., Baronia A., Gugliuzza G.	<b>Influence of L-Proline on <i>Citrus sinensis</i> (var. New Hall and Tarocco Scirè) Fruit Quality.</b>	<b>2.41</b>
Jeyakumar P., Amutha R. and T.N. Balamohan.	<b>Nutrient - Bioregulator Interaction Effects on Banana.</b>	<b>2.42</b>
Khan A.S. , Malik A.U., Pervez M.A. and Saleem B.A. and Rajwana I.A.	<b>Exogenous Applications of Plant Growth Regulators Influence the Reproductive Growth of <i>Citrus Sinensis</i> cv. Blood Red.</b>	<b>2.43</b>
Kittikorn M. Okawa K., Ohara H., Yokoyama M., Yoshida S. and Kondo S.	<b><math>\alpha</math>-Ketol Linolenic Acid Levels are Related to Flower Bud Formation in Apples.</b>	<b>1.9</b>
Klein J.D., Cohen S., Hebbe Y.	<b>Regulating Etrog (<i>Citrus medica</i> L.) Flowering with Gibberellin and Trinexapac-Ethyl.</b>	<b>2.44</b>

Kumar J. and Sharma V.P.	<b>Effect of CPPU on Fruit Quality of Kiwifruit (<i>Actinidia deliciosa</i>).</b>	<b>2.45</b>
Kviklys D., Robinson T.	<b>Effect of Temperature Before and After Application of Chemical Thinners on Thinning of ‘Empire’ Apple Trees.</b>	<b>2.46</b>
Lafer G.	<b>Effects of Chemical Thinning with Metamitron on Fruit Set, Yield and Fruit Quality of ‘Elstar’.</b>	<b>2.47</b>
Laffargue A., Dussert S., Tranbarger T.J., Cros D., Domonhedo H., Morcillo F.	<b>Quantification of Free Fatty Acids in <i>Elaeis guineensis</i> Mesocarp: Comparison of SPE-GC and Titration Methodologies.</b>	<b>1.10</b>
Lakatos L., Szabó T., Soltész M., Szabó Z., Dussi M.C., Zhongfu S. and Nyéki J.	<b>The Role of the Daily Temperature Distribution on Apple Fruits Cover Color and some Quality Parameters.</b>	<b>2.48</b>
Lakatos L., Szabó T., Szabó Z., Nyéki J., Soltész M., Dussi M.C., Zhongfu S.	<b>The Role of Meteorological Factors on Blooming Time of Apple Cultivars.</b>	<b>2.49</b>
Lakatos L., Szabó Z, Soltész M., Zhongfu S., Dussi M.C., Nyéki J.	<b>Some Possibilities to Modify the Microclimate in Apple Plantations.</b>	<b>2.50</b>
Leite G.B., Petri J.L. and Hawerorth F.J.	<b>Increase Apple Fruit Set, cv. Condessa, by Growth Regulators.</b>	<b>2.51</b>
Liang G., Zhong J., and Deng X.	<b>Effects of Foliar DA-6 on Some Contents of <i>Citrus</i> Fruits on the Trees and Decay Incidence after Harvest.</b>	<b>2.52</b>

Lovatt C.J. and Zheng Y.	<b>Use of Plant Bioregulators to Stimulate Embryo Growth and Loosen Fruit to Increase Spilt Nut Yield of Pistachio.</b>	<b>2.53</b>
Maas F.M., van Schaik A.C.R., op 't Hof M.C.J., Anbergen R.H.N. and Ravesloot M.B.M.	<b>1-MCP can Prevent Ethylene-Induced Damage to Fruit Trees during Cold Storage.</b>	<b>2.54</b>
Magyar L., Szabó V., Gyeviski M. and Hrotkó K.	<b>Improved Germination of <i>Prunus mahaleb</i> L. Seed Using Gibberellic Acid Treatment.</b>	<b>1.11</b>
Magyar, L., Barancsi Z., Gyeviski, M, Szabó, V. and Hrotkó K.	<b>Improved Feathering by Combined Application of Benzyladenin and Bio-stimulators.</b>	<b>1.12</b>
Marino G., Cellini A., Masia A., Francioso O., Simoni A. and Gessa C.	<b>In-vitro Treatments With a Low Molecular Weight Fraction of Humic Acids Can Improve Growth of Pear Plantlets During Acclimatization.</b>	<b>2.55</b>
Masarirambi M.T., Chingwarab V. and Shongwea V.D.	<b>The Effect of GA<sub>3</sub> and ethephon on Synchronization of Coffee (<i>Coffea arabica</i> L.) Flowering and Berry Ripening.</b>	<b>2.56</b>
Matteucci M., D'Angeli S., Lamanna R., Perrotta , and Altamura M.M.	<b>Fruit Desaturases as Genotype-Selection Markers for Oil Quality and Cold Resistance in Olive Tree.</b>	<b>1.13</b>
McArtney S.J., Obermiller J.D., Hoyt T., Parker M.L.	<b>Efficacy of a Sprayable Formulation of 1-MCP on Apples in the Southeastern USA.</b>	<b>3.4</b>

Micheli M., El Behi A. W., Zakhour D., Yasin M., Standardi A.	<b><i>In vitro</i> proliferation of olive ('Dolce Agogia' and 'Moraiolo'): effect of different cytokinins.</b>	2.57
Miller D.D. and Racsko J.	<b>Apple thinning trials in the Midwest US: Preliminary results from Ohio.</b>	2.58
Mouco M.A. do C., Ono E.O. and Rodrigues J.D.	<b>Mango Flower Induction in the Brazilian Northeast Semi-Arid with Synthesis Inhibitors of Gibberellin.</b>	2.59
Murayama H. and Fijita M.	<b>Effects of ethylene treatment on ripening of 'Soldum' Japanese plum and its sport cultivar.</b>	2.60
Nagy P.T., Szabó Z., Nyéki J. and Dussi M.C.	<b>Effects of Frost-induced Biennial Bearing on Nutrient Availability Disorders in Integrated Apple Orchard.</b>	3.5
Nikolić D., Milutinović M. and Rakonjac V.	<b>Degree of Fruit Set in Plum Cultivar Čačanska Najbolja Depending on Pollenizer.</b>	2.61
Ogata T. Tamura H., Hamada K. and Hasegawa K.	<b>Effect Of Gibberellin On Setting And Growth Of Non-Pollinated Parthenocarpic Fruit In Mango.</b>	2.62
Pantelidis G. and Vasilakakis M.	<b>Effect of 1-Methylcyclopropene on Quality Attributes of 'Caldesi 2000' White-Flesh Nectarine during Cold Storage.</b>	2.63

Parker M.L., McArtney, Obermiller J.D. and Hoyt T.	<b>Influence of Delay Between Harvest and Exposure to 1-MCP on Post Storage Flesh Firmness of Three Apple Cultivars.</b>	<b>2.64</b>
Pelizza T.R., Carvalho G. L. and Schuch M. W.	<b>Growth Behavior of Micropropagated Blueberry under Different GA<sub>3</sub> Concentrations.</b>	<b>2.65</b>
Pelizza T.R., Carvalho G. L. and Schuch M. W.	<b>Growth Evaluation of Blueberry Minicuttings Using Different Growth Regulators.</b>	<b>2.66</b>
Racsko J., Miller D.D., Dussi M.C.	<b>Crop Load Effects On Fruit Drop Pattern and Quality of 'Pink Lady' Apple.</b>	<b>2.67</b>
Ramirez H. and Benavides A.	<b>Prohexadione-Ca Modifies Content of Gibberellins and Vitamin C, Antioxidant Capacity and Enzymatic Activity in Apple.</b>	<b>1.14</b>
Reighard G.L., Ouellette D. and Brock K.	<b>Dormant Applications of a Soybean Oil Adjuvant Plus Ethephon reduce Peach Flower Bud Survival.</b>	<b>2.68</b>
Rizzini F.M. and Bonghi C.	<b>Hormonal Cross-Talk at Veraison in Grape.</b>	<b>1.15</b>
Robinson T., Lopez S. and Iungerman K.	<b>Thinning and Summer PGR's for Consistent Return Bloom of 'Honeycrisp' Apples.</b>	<b>2.69</b>
Rosenfield R., Y. Dahan and Irihimovitch V.	<b>Isolation of a <i>Lefw2.2</i> Homolog in 'Hass' Avocado: Regulation of its Expression as Related to Reduced Cell Division and to Small Fruit Phenotype.</b>	<b>1.16</b>

Rufato L., Kretschmar A. A., Brighenti A. F., Macedo T. A., Mendes M. and Silva L. C.	<b>Overcoming the Endodormancy in Different Cultivars of Apple Trees in Two Regions of Santa Catarina State, Brazil.</b>	2.70
Sahli A., Bairam E., Jabloun M. and Aounallah M.K.	<b>Climatree®: A Software Estimating Phenological Stages of Fruit Tree under Different Scenarios of Climate Conditions.</b>	3.6
Sahli A., Aounallah M.K. and Bairam E.	<b>Analyzing Global Climatic Change and its Interaction with Apple Tree Phenology: Application to Tunisia.</b>	3.7
Sams Carl E., Deyton D.E., Cummins J.C. and Ballington J.C.	<b>Absciscic Acid and Soybean Oil delay Flower Bud Phenology of Blueberries.</b>	2.71
Sarathum S., Hegele M., Tantivivat S., Nanakon M. and Wünsche J.	<b>Effect of Low Temperature on Flowering and Endogenous Hormonal Status of Dendrobium scabrilingue L.</b>	2.72
Sayyari M. and Valero D.	<b>Combined Salicylic Acid-Heat Treatments Alleviated Chilling Injury in Pomegranates through Polyamine Stimulation.</b>	2.73
Schlemper C., Rufato L., Kretschmar A. A., Mendes M., Macedo T. A. and Marcon Filho J.L.	<b>Overcoming the Endodormancy of Apple Trees in Southern Brazil.</b>	2.74
Schmidt T., McFerson J., Elfving D. and Whiting M.	<b>Practical Gibberellic Acid Programs for Mitigation of Biennial Bearing in Apple</b>	2.75
Schneider D., Goldway M., Birger R. and Stern R.A.	<b>Growth Control of 'Arbequina' High-Density Olive Orchard by Uniconazole.</b>	2.76

Silva G.J.N., Rodrigues J.D., Ono E.O., Mouco MA. do C. and de Souza E.M.	<b>Uniconazole on Mango Floral Induction cv Kent in the Submedio São Francisco, Brazil.</b>	<b>2.77</b>
Slovin J. P., Shulaev V., Folkerts O., Folta K.M., Davis T.M. and Sargent D.J.	<b>Diploid Strawberry (<i>Fragaria Vesca</i>): A Reference Species for the Rosaceae Family.</b>	<b>1.17</b>
Soto A., Ziosi V., Costa G. and Torrigiani P.	<b>Late preharvest applications of Methyl jasmonates interferes with peach fruit (<i>Prunus persica</i> L. Batsch) ripening as revealed by physiological parameters.</b>	<b>2.78</b>
Sotomayor C. and Castro J.	<b>Improvement of Almond Fruit Set using Some Growth Regulators.</b>	<b>2.79</b>
Treutter D.	<b>Effect of Bioregulators on Growth and Secondary Metabolism of <i>Actinidia arguta</i> Plants.</b>	<b>2.80</b>
Ulger S., Akdesir O., Demiral S. and Atmaca S.	<b>Investigation of the Effects of External Daminozide Application on Endogenous Hormone Levels in Memecik Olive Trees.</b>	<b>1.18</b>
Vego D., Šaravanja P. and Knezović Z.	<b>Fruit Thinning of Peach and Nectarine.</b>	<b>2.81</b>
Vigl J. and Brunner P.	<b>Budding Height and Planting Depth Influence ‘Fuji’ (<i>Malus Domestica</i> Borkh.) Apple Tree Performance.</b>	<b>2.82</b>

<p>Wani R.A., Prasad V.M. and Basharat N.</p>	<p><b>Effect of Bioregulators on In-vitro Raised Micro Shoots of Economically Important Guava Varieties of Allahabad Region.</b></p>	<p><b>2.83</b></p>
<p>Whitaker B.D., Gapper N.E., Borejsza-Wysocka E.E. and Aldwinckle H.S.</p>	<p><b>Transformation of ‘Granny Smith’ Apple with an RNAi Silencing Construct of the <math>\alpha</math>-Farnesene Synthase Gene <i>MdAFS1</i> to Prevent Superficial Scald.</b></p>	<p><b>1.19</b></p>
<p>Ziosi V., Giovannetti G., Di Nardo A. and Vitali F.</p>	<p><b>Effects of NAA and GA<sub>3</sub> Application on Lateral Flower Bud Thinning, Crop Yield and Fruit Quality in Kiwifruit (<i>Actinidia deliciosa</i>).</b></p>	<p><b>2.84</b></p>